REFERENCES

1. Ajmer Singh et. Al., (2004). "Essential of physical education, (Delhi Kalyani publication).

2. Bailey C., Finch S., Harlan S., Stiff P.(1997). A study to investigate the effects of a 10 week Aquarobic programme on cardiorespiratory fitness, flexibility andgeneral well being. AKWA 1997;June/ July:7

3. Badenhop DT, Cleary PA, Schaal SF, et al.(1983). Physiological adjustments to higher- or lower-intensity exercise in elders. Med Sci Sports Exerc.15:496–502.

4. Blumenthal JA, Schocken DD, Needels TL, Hindle P.(1982). Psychological and physiological effects of physical conditioning on the elderly.J Psychosom Res. 1982;26:505–510.

5. Blair S.N., Connelly J.C. (1996). How much physical activity should we do? The case for moderate amounts and intensities of physical activity. Res. Q. Exerc. Sport1996;67:193-205.

6. Bushman B., Flynn F., Andres C. et. al. (1997). Effect of 4 weeks of deep water runtraining performance. Med. Sci. Sports Exerc.1997;29:694-699.

7. Daniel s. Rooks et al (2002), "The Effects of Progressive Strength Training and Aerobic Exercise on Muscle Strength and Cardiovascular Fitness in Women With Fibromyalgia"Arthritis care and Research 47:22–28.

8. Davies, Marlin Hoopkin, (1973). "Effects of Three Selected Work Intensity Training Proframme on Cardio-Respiratory Fitness", Dissertation Abstracts International (May 1973), 6159-6160.

9. Dilek sevimli et. Al (2009) "The Effect of Aerobic Exercise on Cardiopulmonary System in Children", TAF Preventive Medicine Bulletin, 8(2): 125-130.

10. Dupper Michel Alfred, (1986)."The Effects of Ten Week Aerobic Exercise Program on Physiological, Cognitive and Children", Dissertation Abstracts International, (October 1986), 1235A.

11. Evans B., Cureton K. (1996). Metabolic, circulatory and perceptual responses tobench stepping in water. Med. Sci. Sports Exerc. 1996;28(Suppl. 5):S210.

12. Fabre C, Masse-Biron J, Ahmaidi S, et al. (1997). Effectiveness of individualized aerobic training at the ventilatory threshold in the elderly.J Gerontol A Biol Sci Med Sci. 1997;52:B260-B266.

13. Foley M.E., (1986). "The Effects of Aerobic Circuit Training Programme on Maximal Oxygen Uptake of Pre-Pubescent Children". Completed research in health, physical education and recreation 29 (1986): 117.

14. Hagberg JM, Graves JE, Limacher M, et al. (1989). Cardiovascular responses of 70- to 79-year-old men and women to exercise training. J Appl Physiol.1989;66:2589–2594.

15. Jacqueline Williams, (2006). Effects of a Ten-week Aerobic Exercise Training Program on Cardiovascular Variables: Assessed to Predict Change of Blood Pressure in Pre hypertensive African American Women, 2006.

16. Jessica L. Goulder, "The Effects of Endurance Training and Short-term High Intensity Sprint Training on Performance and Endurance Related Variables in Well-trained Endurance Cyclists".

17. Joav Merrick et al. (2013), "Effects of Aerobic Exercise on Body Composition and Muscle Strength in Over-Weight to Obese Old Women with Intellectual Disability: A Pilot Study", The Open Rehabilitation Journal, 2013, 6, 43-48.

18. Joe willey Gillespie, (1983). "The Effects of Three Selected Weight Training Programs on Strength and Muscular Endurance" dissertation abstracts international 44 (December 1983).

19. Karvonen MJ, Kentala E, Mustala O. (1958). The effects of training on heart rate. Annales Medicinae Experimentatus et Biologie Fenniae. 1958;35:307–315.

20. Kristjan Thor Magnusson et al (2012), "Limited effects of a 2-year school-based physical activity intervention on body composition and cardiorespiratory fitness in 7-year-old children",Health education research,Vol.27 no.3,Pages 484–494.

21. Larry W. Gregory, (1979). "The Development of Aerobic Capacities a Comparison of Continuous and Interval Training", Research Quarterly, (March 1979) p-199.

22. Makrides L, Heigenhauser GJ, Jones NL.(1990). High-intensity endurance training in 20- to 30- and 60- to 70-year-old healthy men. J Appl Physiol.1990;69:1792–1798.
23. Mark W. Meneval, (1982). " The Effects of Variable Resistance Circuit Weight Training on Cardiovascular Fitness and Body Composition" completed research in health. Physical education and recreation 24 (1982).
24. Milena Mikalacki et. Al (2012) conducted a study on "The differences in aerobic capacity of physicaly active females in relation to their age", Phy Edu and Sport, Vol.10,pp.81-88.
25. N Bijeh et. Al (2012) conducted a study on" The Effect of Aerobic Exercise on Serum C - Reactive Protein and Leptin Levels in Untrained Middle-Aged Women", Iranian J Publ health, vol.41,no.9,pp.36-41.
26. Salthouse TA, Somberg BL.(1982). Skill performance: effects of adult age and experience on elementary processes. J Exp Psychol. 1982;111:176–207.
27. Sanja Mandarić et. Al (2011) "Effects of a high-low aerobic program on the morphological features, functional and motor abilities of female elementary school eighth graders", Phy Edu and Sport, vol.9, pp.307-319.
28. Satoshi Kido, (2013) Effects of Combined Training with Breathing Resistance and Sustained Physical Exertion to Improve Endurance Capacity and Respiratory Muscle Function in Healthy Young Adults, 2013.
29. Van Boxtel MPJ, Paas FG, Houx PF, et al. (1997). Aerobic capacity and cognitive performance in a cross-sectional aging study. Med Sci SportsExerc. 1997;29:1357–1365.
30. William Jesse Seay, (1979). " The Effects of Onsight Weak Neutilus Training Program on Cardiovascular" dissertation abstracts international 39 (february 1979).